



Certificate number: 2309806 (4)

Issued 21/12/2023

Expires 22/09/2028

## Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)

Model number(s) – see Appendix

### Henco Industries NV.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

**Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.**

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory  
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en/about-kiwa/water-products/> or the QR code below to ensure that the certificate is still valid.

CERTIFICATE

Kiwa Watertec  
(A Trading Division of Kiwa Ltd)  
26A Rassau Industrial Estate  
Ebbw Vale  
Gwent  
NP23 5SD  
United Kingdom  
T +44 (0)1495 308185  
[uk.water@kiwa.com](mailto:uk.water@kiwa.com)  
[www.kiwa.co.uk](http://www.kiwa.co.uk)

**Certificate Issued to:**  
Henco Industries NV.  
Toekomstlaan 27 B-2200 HERENTALS  
Belgium



KUKreg4

# Product Certificate

Appendix to Certificate number: 2309806

The following products belong to this certificate

<p><b>PRODUCT DESCRIPTION</b>  Range of Henco Pro-Fit Synthetic pushfit fitting to be used with Henco RIXc PEXc/Al/PEXc multilayer pipes.</p> <p>ATS3 – Without Production Surveillance.</p> <p><b>MODEL(S)</b>  1HPK-1616 Elbow 90° 16x16  1HPK-1616-1 Elbow 90° 16x16 - 1pc  1HPK-2020 Elbow 90° 20x20  1HPK-2020-1 Elbow 90° 20x20 - 1pc  1HPK-2626 Elbow 90° 26x26  1HPK-2626-1 Elbow 90° 26x26 - 1pc  2HP-1604K Backplate elbow female, short 16x1/2"  2HP-1604K-1 Backplate elbow female, short 16x1/2" - 1pc  2HP-2004K Backplate elbow female, short 20x1/2"  2HP-2004K-1 Backplate elbow female, short 20x1/2" - 1pc  5HP-1604 Bend 90° male adapter 16x1/2"  5HP-1604-1 Bend 90° male adapter 16x1/2" - 1pc  5HP-2004 Bend 90° male adapter 20x1/2"  5HP-2004-1 Bend 90° male adapter 20x1/2" - 1pc  5HP-2005 Bend 90° male adapter 20x3/4"  5HP-2005-1 Bend 90° male adapter 20x3/4" - 1pc  6HP-1604 Bend 90° female adapter 16x1/2"  6HP-1604-1 Bend 90° female adapter 16x1/2" - 1pc  6HP-2004 Bend 90° female adapter 20x1/2"  6HP-2004-1 Bend 90° female adapter 20x1/2" - 1pc  6HP-2005 Bend 90° female adapter 20x3/4"  6HP-2005-1 Bend 90° female adapter 20x3/4" - 1pc  9HPK-161616 T-piece 16x16x16  9HPK-161616-1 T-piece 16x16x16 - 1pc  9HPK-202020 T-piece 20x20x20  9HPK-202020-1 T-piece 20x20x20 - 1pc  9HPK-262626 T-piece 26x26x26  9HPK-262626-1 T-piece 26x26x26 - 1pc  10HPK-201620 T-reduced centre 20x16x20  10HPK-201620-1 T-reduced centre 20x16x20 - 1pc  11HPK-201616 T-branch and line reduced 20x16x16  11HPK-201616-1 T-branch and line reduced 20x16x16 - 1pc  11HPK-202016 T-branch and line reduced 20x20x16  11HPK-202016-1 T-branch and line reduced 20x20x16 - 1pc  11HPK-262616 T-branch and line reduced 26x26x16  11HPK-262616-1 T-branch and line reduced 26x26x16 - 1pc  11HPK-262620 T-branch and line reduced 26x26x20  11HPK-262620-1 T-branch and line reduced 26x26x20 - 1pc  13HP-160416 T-female centre branch 16x1/2"x16  13HP-160416-1 T-female centre branch 16x1/2"x16 - 1pc  13HP-200420 T-female centre branch 20x1/2"x20  13HP-200420-1 T-female centre branch 20x1/2"x20 - 1pc  15HPK-1616 Straight coupling 16x16  15HPK-1616-1 Straight coupling 16x16 - 1pc  15HPK-2020 Straight coupling 20x20  15HPK-2020-1 Straight coupling 20x20 - 1pc  15HPK-2626 Straight coupling 26x26</p>
---

# Product Certificate

Appendix to Certificate number: 2309806

- 15HPK-2626-1 Straight coupling 26x26 - 1pc
- 16HPK-2016 Reducing coupling 20x16
- 16HPK-2016-1 Reducing coupling 20x16 - 1pc
- 17HP-1604 Straight male adapter 16x1/2"
- 17HP-1604-1 Straight male adapter 16x1/2" - 1pc
- 17HP-2004 Straight male adapter 20x1/2"
- 17HP-2004-1 Straight male adapter 20x1/2" - 1pc
- 17HP-2005 Straight male adapter 20x3/4"
- 17HP-2005-1 Straight male adapter 20x3/4" - 1pc
- 17HP-2605 Straight male adapter 26x3/4"
- 17HP-2605-1 Straight male adapter 26x3/4" - 1pc
- 18HP-1604 Straight female adapter 16x1/2"
- 18HP-1604-1 Straight female adapter 16x1/2" - 1pc
- 18HP-2004 Straight female adapter 20x1/2"
- 18HP-2004-1 Straight female adapter 20x1/2" - 1pc
- 18HP-2005 Straight female adapter 20x3/4"
- 18HP-2005-1 Straight female adapter 20x3/4" - 1pc
- 19HPK-1605 Eurocone Adapter 16 x EK 3/4"F
- 19HPK-1605-1 Eurocone Adapter 16 x EK 3/4"F - 1pc
- 19HPK-2005 Eurocone Adapter 20 x EK 3/4"F
- 19HPK-2005-1 Eurocone Adapter 20 x EK 3/4"F - 1pc
- 26HP-1604 Straight tap connector 16x1/2"
- 26HP-1604-1 Straight tap connector 16x1/2" - 1pc
- 26HP-1605 Straight tap connector 16x3/4"
- 26HP-1605-1 Straight tap connector 16x3/4" - 1pc
- 26HP-2005 Straight tap connector 20x3/4"
- 26HP-2005-1 Straight tap connector 20x3/4" - 1pc
- 34HP-1604 Elbow 90° tap connector 16x1/2"
- 34HP-1604-1 Elbow 90° tap connector 16x1/2" - 1pc
- 54HP-1615 Straight transition coupler 16x15
- 54HP-1615 Straight transition coupler 16x15 -1 pc
- 54HP-2015 Straight transition coupler 20x15
- 54HP-2015 Straight transition coupler 20x15 – 1 pc
- 54HP-2022 Straight transition coupler 20x22
- 54HP-2022 Straight transition coupler 20x22 – 1 pc
- 54HP-2622 Straight transition coupler 26x22
- 54HP-2622 Straight transition coupler 26x22 – 1 pc
- 54HP-2628 Straight transition coupler 26x28
- 60HPK-2016 Reducing elbow 90° 20x16
- 60HPK-2016-1 Reducing elbow 90° 20x16 - 1pc
- HPK-ENDCAP16 End cap 16
- HPK-ENDCAP16-1 End cap 16 - 1pc
- HPK-ENDCAP20 End cap 20
- HPK-ENDCAP20-1 End cap 20 - 1pc
- HPK-ENDCAP26 End cap 26
- HPK-ENDCAP26-1 End cap 26 - 1pc
- VVHPK-20 Manifold supply 20
- VVHPK-20-1 Manifold supply 20 - 1pc
- VVHPK-26 Manifold supply 26
- VVHPK-26-1 Manifold supply 26 - 1pc

Henco RIXc

Article code Product name Description

xxx-160212 Henco RIXc Multilayer pipe PEXc/Al/PEXc

xxx-200216 Henco RIXc Multilayer pipe PEXc/Al/PEXc

xxx-260320 Henco RIXc Multilayer pipe PEXc/Al/PEXc

# Product Certificate

Appendix to Certificate number: 2309806

---

<b>SIZE:</b> See model.
<b>SCOPE:</b> Manufacturer recommended maximum working pressure 10 Bar & maximum operating temperature 95°C. Hygienic Purposes: Non-metallic materials suitable for continuous use up to 70°C.
<b>MARKING</b> Pipe: Henco RIXc, size, max pressure, max temp and technical info laser etched on pipe, D.O.M. MMY. Y. Brass Fittings: Henco logo, size and D.O.M. MMY. Y. Pushfits: Henco and size on body.
<b>MATERIALS</b> Non-metallic materials assessed (BS6920) to point of discharge.
<b>BACKFLOW PROTECTION NOTES</b> N/A.
<b>ADDITIONAL NOTES</b> All water contact & exposed components satisfy opacity requirements.

## Extra Notes